

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	709698	send\$4 or tranfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:23
L2	68887	encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:23
L3	30766	decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:24
L4	6905	L1 near4 L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:24
L5	2226	L1 near4 L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:24
L6	4039678	stor\$4 or sav\$4 or backup\$4 or archiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:25
L7	748	L5 near2 L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:26
L8	9839	L6 near2 L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:25
L9	3462	L6 near2 L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:26

L10	2234	L8 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:26
L11	1786	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:26
L12	311	L10 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:26
L13	129	L12 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:27
L14	63	L13 and @ad<"20010523"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:27
L15	876368	(storage or channel or path or route) and (computer or PC or PALM or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:28
L16	56	L14 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:49
L17	0	"09810575"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:48
L18	1	09/810575	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:49
L19	1	L18 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:49

L20	85783	remot\$4 with (L6 or copy\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:50
L21	22	L20 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:51
S1	130330	(first or primary or initial or secure) with (communicat\$5 or connect\$5 or WAN or LAN or network\$4) with (path or route or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:23
S2	134951	(second\$5 or remot\$5 or next\$5 or subsequen\$5) with (communicat\$5 or connect\$5 or WAN or LAN or network\$4) with (path or route or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:26
S3	5916	decrypt\$5 with (tim\$4 or cycl\$4 or interval\$4 or period\$4 or sequenc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:27
S4	68669	encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:28
S5	2365	odbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:28
S6	715336	dynamic or update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:28
S7	3053293	open database connectivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:28
S8	84664	cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:29

S9	3	S1 S2 S3 S4 S5 S6 S7 S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/04/26 14:29
S10	5	(stock with quote) and S1 and S2 and S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:34
S11	3173	(first or initial or primary) near2 communication near2 (path or route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:33
S12	398613	storage near2 (system or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:34
S13	0	S10 and S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:34
S14	26	(stock with quote) and S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:34
S15	6599287	(initial or server or host or first or primary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:38
S16	3114157	storage or memory or harddrive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S17	4707753	communication conection or link or transmission or transfer or transmit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S18	7883177	second\$6 or subsequent\$4 or next\$4 or follow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42

S19	1779954	computer or PC or client or customer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:40
S20	283740	S15 near3 S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S21	4607253	route or path or channel or frequency or address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S22	46332	S15 near3 S17 near3 S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42
S23	266149	S18 near3 S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:49
S24	139	S19 near3 S18 near3 S17 near3 S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S25	8115597	tim\$4 or cycl\$4 or sequenc\$4 or interval\$4 or period\$4 or clock\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:44
S26	159891	S20 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:45
S27	6043	decrypt\$4 with S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:47
S28	6986	S16 with decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:47

S29	1	S20 and S22 and S23 and S24 and S26 and S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:48
S30	159891	S20 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:49
S31	5958	S30 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:49
S32	5958	S31 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:50
S33	113	S32 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:50
S34	4	odbc and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:50
S35	254	stock.ab. and quote.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S36	50	S35 and (computer with network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:55
S37	0	S36 and (encrypt\$4 and decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:55
S38	2	S35 and (encrypt\$\$ and decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57

S39	3051	stock near2 quote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S40	375	S39 and (encrypt\$\$ and decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S41	300	S40 and (computer with network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S42	953941	storage and first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:58
S43	263	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:58
S44	22	S43 and (second with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:11
S45	0	stream\$4 with encrypt\$4 with quote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:11
S46	6	decrypt with quote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:11
S47	514	SYMMETRIX	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:16
S48	922	"remote copy" or "remote data backup"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:35

S49	1594	ESCON	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:17
S50	29	S47 and S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:48
S51	1	S50 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:52
S52	140	S47 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:28
S53	6	S52 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:29
S54	74	(S47 or S48 or S49) and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:29
S55	40	S54 and @ad<"20010523"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:30
S56	8	("6064751").URPN.	USPAT	OR	ON	2005/04/27 09:39
S57	20	("5944794").URPN.	USPAT	OR	ON	2005/04/27 09:40
S58	5	("6484187").URPN.	USPAT	OR	ON	2005/04/27 09:47
S59	4066525	storage or backup or copy or duplicate or save or keep or maintain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:47
S60	12736281	system or method or process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:47

S61	5762202	communicat\$4 or tranmis\$4 or transfer\$4 or transmit\$4 or send\$4 or exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:48
S62	3890775	chaneel or path or route connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:49
S63	6485256	first or local or primary or initial or LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:49
S64	541615	S59 near4 S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:49
S65	37652	S61 near4 S62 near4 S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:51
S66	6241197	second or remote or next or subsequent or WAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:50
S67	68669	encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:50
S68	30656	decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:50
S69	7701837	tim\$4 or interval or period or sequence or clock\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:50
S70	3165865	computer or PC or terminal or PDA or PALM or laptop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:51

S71	243235	S59 near4 S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:52
S72	3734	(S61 near4 S62 near4 S66) with S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:53
S73	215417	S59 near4 S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:53
S74	3924	S68 near6 S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:54
S75	2	("6163856").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 10:53
S76	1	S75 and (encrypt\$4 or lock\$4 or unlock\$\$ or decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:34
S77	922	"remote copy" or "remote data backup"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:36
S78	125	S77 and (encrypt\$4 or encod\$4 or lock\$4 or cipher\$4) and (decrypt\$4 or decod\$4 or unlock\$4 or decipher\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:37
S79	68	S78 and @ad<"20010523"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 13:37
S80	65	S79 and (channel or connection or route or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:21

S81	0	Livevault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 06:50
S82	17	Livevault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:19
S83	0	S82 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 07:09
S84	2	("6240183").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 07:09
S85	28	livevault or (live near2 vault)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:20
S86	0	S85 and encrypt\$4 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/01 13:20